

LEAD-LINED

# WASTE AND STORAGE CABINET

The Waste and Storage Cabinet performs two functions. Radioisotopes can safely be stored in drawers, while the cupboard section is for the storage of non sharps radioactive waste. Drawers are easily removed for decontamination. The cupboard section includes a shielded port and a 15 gallon polyethylene container.



## SPECIFICATIONS:

**Dimensions:** 36.5" w x 24" d x 36.5" h (92.7 x 61 x 92.7 cm)

**Lead Shielding:** .25" (.64 cm), .5" (1.3 cm) or 1" (2.5 cm) thick on all six sides

**Drawer Dimensions:** I.D.: 6" w x 11.88" depth x 4.5" h (15.2 x 30.2 x 11.4 cm)

### Waste Section:

**Chute:** 6.5" dia (16.5 cm) w/ .5" thick (1.3 cm) lead shielded cover

**Container:** I.D.: 22" h x 17" dia (56 x 43 cm) polyethylene, 12 gal. capacity

**Door and Drawers:** Key-locked

**Countertop:** Stainless steel with 4" backsplash and 5" spill-proof lip

**Finish:** Durable powder-coat paint



### Weight:

244-170: 863 lb (391 kg)

244-171: 1439 lb (653 kg)

244-172: 2576 lb (1168 kg)

- 244-170 Cabinet, Waste and Storage, .25" lead .....\$10,600.00
- 244-171 Cabinet, Waste and Storage, .5" lead ..... 12,000.00
- 244-172 Cabinet, Waste and Storage, 1" lead ..... 15,200.00



Prices subject to change without notice.

[www.jgravengard.com](http://www.jgravengard.com) 2007-10-12

**J. Gravengard Corporation**

Medical Imaging Sales & Service

PO Box 20171 Portland, Oregon 97294

Nationwide (800)796-SCAN

Local (503)255-0535

Fax (503)255-7047